

SEQUENCE LISTING

<110> SANSON, ALAIN  
 OCHSENBEIN, FRANCOIS  
 DOLLE, FREDERIC

<120> PEPTIDES WITH AFFINITY FOR A PHOSPHOLIPID AND USES

<130> 263864US0XPCT

<140> US 10/518,383

<141> 2004-12-29

<150> PCT/FR03/02025

<151> 2003-06-30

<150> FR 02 08202

<151> 2002-07-01

<160> 20

<170> PatentIn version 3.3

<210> 1

<211> 75

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Peptide; sequence derived from human annexin

<400> 1

Gly Phe Asp Glu Arg Ala Asp Val Glu Thr Leu Arg Lys Ala Met Lys  
 1 5 10 15

Gly Leu Gly Thr Asp Glu Glu Ser Ile Leu Thr Leu Leu Thr Ser Arg  
 20 25 30

Ser Asn Ala Gln Arg Gln Glu Ile Ser Ala Ala Tyr Lys Thr Leu Phe  
 35 40 45

Gly Arg Asp Leu Leu Asp Asp Leu Lys Ser Glu Leu Thr Gly Lys Phe  
 50 55 60

Glu Lys Leu Val Val Ala Leu Leu Lys Pro Ser  
 65 70 75

<210> 2

<211> 75

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Peptide; sequence derived from human annexin

<400> 2

Asn Phe Asp Ala Glu Arg Asp Ala Leu Asn Ile Arg Lys Ala Ile Lys  
1 5 10 15

Gly Met Gly Val Asp Glu Asp Thr Ile Val Asn Ile Leu Thr Asn Arg  
20 25 30

Ser Asn Ala Gln Arg Gln Asp Ile Ala Phe Ala Tyr Gln Arg Arg Thr  
35 40 45

Lys Arg Glu Leu Ala Ser Asp Leu Lys Ser Glu Leu Ser Gly His Leu  
50 55 60

Glu Arg Val Ile Leu Gly Leu Leu Lys Thr Ser  
65 70 75

<210> 3

<211> 75

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Peptide; sequence derived from human annexin

<400> 3

Asp Phe Ser Pro Ser Val Asp Ala Glu Ala Ile Arg Lys Ala Ile Lys  
1 5 10 15

Gly Ile Gly Thr Asp Glu Asp Met Leu Ile Ser Ile Leu Thr Glu Arg  
20 25 30

Ser Asn Ala Gln Arg Gln Leu Ile Val Lys Glu Tyr Gln Ala Ala Tyr  
35 40 45

Gly Arg Glu Leu Lys Asp Asp Leu Lys Ser Glu Leu Ser Gly His Phe  
50 55 60

Glu Arg Leu Met Val Ala Leu Val Thr Pro Ser  
65 70 75

<210> 4

<211> 75

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Peptide; sequence derived from human annexin

<400> 4

Gly Phe Asn Ala Met Glu Asp Ala Gln Thr Leu Arg Lys Ala Met Lys  
 1 5 10 15

Gly Leu Gly Thr Asp Glu Asp Ala Ile Ile Ser Val Leu Ala Tyr Arg  
 20 25 30

Asn Thr Ala Gln Arg Gln Glu Ile Arg Thr Ala Tyr Lys Ser Thr Ile  
 35 40 45

Gly Arg Asp Leu Ile Asp Asp Leu Lys Ser Glu Leu Ser Gly Asn Phe  
 50 55 60

Glu Arg Val Ile Val Gly Met Met Thr Pro Ser  
 65 70 75

<210> 5  
 <211> 75  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Peptide; sequence derived from human annexin  
 <400> 5

Gly Phe Asp Pro Asn Gln Asp Ala Glu Ala Leu Arg Thr Ala Met Lys  
 1 5 10 15

Gly Phe Gly Ser Asp Glu Glu Ala Ile Leu Asp Ile Ile Thr Ser Arg  
 20 25 30

Ser Asn Arg Gln Arg Gln Glu Val Cys Gln Ser Tyr Lys Ser Leu Tyr  
 35 40 45

Gly Arg Asp Leu Ile Ala Asp Leu Lys Ser Glu Leu Thr Gly Lys Phe  
 50 55 60

Glu Arg Leu Ile Val Gly Leu Met Arg Pro Ser  
 65 70 75

<210> 6  
 <211> 75  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Peptide; sequence derived from human annexin  
 <400> 6

Gly Phe Asn Pro Asp Ala Asp Ala Lys Ala Leu Arg Lys Ala Met Lys  
1 5 10 15

Gly Leu Gly Thr Asp Glu Asp Thr Ile Ile Asp Ile Ile Thr His Arg  
20 25 30

Ser Asn Val Gln Arg Gln Gln Ile Arg Gln Thr Phe Lys Ser His Phe  
35 40 45

Gly Arg Asp Leu Met Thr Asp Leu Lys Ser Glu Ile Ser Gly Asp Leu  
50 55 60

Glu Arg Leu Ile Leu Gly Leu Met Met Pro Ser  
65 70 75

<210> 7  
<211> 75  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic Peptide; sequence derived from human annexin

<400> 7

Pro Gly Asp Ala Ile Arg Asp Ala Glu Ile Leu Arg Lys Ala Met Lys  
1 5 10 15

Gly Phe Gly Thr Asp Glu Gln Ala Ile Val Asp Val Val Ala Asn Arg  
20 25 30

Ser Asn Asp Gln Arg Gln Lys Ile Lys Ala Ala Phe Lys Thr Ser Tyr  
35 40 45

Gly Arg Asp Leu Ile Lys Asp Leu Lys Ser Glu Leu Ser Gly Asn Met  
50 55 60

Glu Arg Leu Ile Leu Ala Leu Phe Met Pro Ser  
65 70 75

<210> 8  
<211> 75  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic Peptide; sequence derived from human annexin

<400> 8

His Phe Asn Pro Asp Pro Asp Val Glu Thr Leu Arg Lys Ala Met Lys

1	5	10	15
Gly Ile Gly Thr Asn Glu Gln Ala Ile Ile Asp Val Leu Thr Lys Arg	20	25	30
Ser Asn Thr Gln Arg Gln Thr Ile Ala Lys Ser Phe Lys Ala Gln Phe	35	40	45
Gly Arg Asp Leu Thr Glu Asp Leu Lys Ser Glu Leu Ser Gly Lys Leu	50	55	60
Glu Arg Leu Ile Val Ala Leu Met Tyr Pro Ser	65	70	75

<210> 9  
 <211> 75  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Peptide; sequence derived from human annexin  
 <400> 9

Gly Phe Asp Pro Leu Arg Asp Ala Glu Val Leu Arg Lys Ala Met Lys	1	5	10	15
Gly Phe Gly Thr Asp Glu Gln Ala Ile Ile Asp Cys Leu Gly Ser Arg	20	25	30	
Ser Asn Lys Gln Arg Gln Gln Ile Leu Leu Ser Phe Lys Thr Ala Tyr	35	40	45	
Gly Arg Asp Leu Ile Lys Asp Leu Lys Ser Glu Leu Ser Gly Asn Phe	50	55	60	
Glu Lys Thr Ile Leu Ala Leu Met Lys Thr Ser	65	70	75	

<210> 10  
 <211> 75  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Peptide; sequence derived from human annexin  
 <400> 10

Gly Phe Asp Val Asp Arg Asp Ala Lys Lys Leu Arg Lys Ala Met Lys	1	5	10	15
---	---	---	----	----

Gly Met Gly Thr Asn Glu Ala Ala Ile Ile Glu Ile Leu Ser Gly Arg  
20 25 30

Thr Ser Asp Glu Arg Gln Gln Ile Lys Gln Lys Tyr Lys Ala Thr Tyr  
35 40 45

Gly Arg Glu Leu Glu Glu Asp Leu Lys Ser Glu Leu Ser Gly Asn Phe  
50 55 60

Glu Lys Thr Ala Leu Ala Leu Leu Asp Arg Ser  
65 70 75

<210> 11  
<211> 79  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic Peptide; sequence derived from human annexin

<220>  
<221> MISC\_FEATURE  
<222> (22)..(22)  
<223> Xaa = Leu, Met or Trp

<220>  
<221> MISC\_FEATURE  
<222> (34)..(34)  
<223> Xaa = Thr or Lys

<220>  
<221> MISC\_FEATURE  
<222> (45)..(45)  
<223> Xaa = Ser or Lys

<220>  
<221> MISC\_FEATURE  
<222> (48)..(48)  
<223> Xaa = Phe or Tyr

<220>  
<221> MISC\_FEATURE  
<222> (50)..(50)  
<223> Xaa = Thr or Glu

<220>  
<221> misc\_feature  
<222> (63)..(63)  
<223> Xaa can be any naturally occurring amino acid

<220>  
<221> misc\_feature  
<222> (69)..(69)  
<223> Xaa can be any naturally occurring amino acid

<220>  
 <221> misc\_feature  
 <222> (71)..(71)  
 <223> Xaa can be any naturally occurring amino acid

<400> 11

Gly Ser Gly Cys Gly Phe Asp Glu Arg Ala Asp Val Glu Thr Leu Arg  
 1 5 10 15

Lys Ala Met Lys Gly Xaa Gly Thr Asp Glu Glu Ser Ile Leu Thr Leu  
 20 25 30

Leu Xaa Ser Arg Ser Asn Ala Gln Arg Gln Glu Ile Xaa Ala Ala Xaa  
 35 40 45

Lys Xaa Leu Phe Gly Arg Asp Leu Leu Asp Asp Leu Lys Ser Xaa Leu  
 50 55 60

Thr Gly Lys Phe Xaa Lys Xaa Val Val Ala Leu Leu Lys Pro Ser  
 65 70 75

<210> 12  
 <211> 78  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Peptide; sequence derived from human annexin

<400> 12

Gly Ser Pro Gly Phe Asp Glu Arg Ala Asp Val Glu Thr Leu Arg Lys  
 1 5 10 15

Ala Met Lys Gly Leu Gly Thr Asp Glu Glu Ser Ile Leu Thr Leu Leu  
 20 25 30

Thr Ser Arg Ser Asn Ala Gln Arg Gln Glu Ile Ser Ala Ala Tyr Lys  
 35 40 45

Thr Leu Phe Gly Arg Asp Leu Leu Asp Asp Leu Lys Ser Glu Leu Thr  
 50 55 60

Gly Lys Phe Glu Lys Leu Val Val Ala Leu Leu Lys Pro Ser  
 65 70 75

<210> 13  
 <211> 83  
 <212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Peptide; sequence derived from human annexin

<220>

<221> MISC\_FEATURE

<222> (25)..(25)

<223> Xaa = Leu, Met or Trp

<220>

<221> MISC\_FEATURE

<222> (37)..(37)

<223> Xaa = Thr or Lys

<220>

<221> MISC\_FEATURE

<222> (48)..(48)

<223> Xaa = Ser or Lys

<220>

<221> MISC\_FEATURE

<222> (51)..(51)

<223> Xaa = Phe or Tyr

<220>

<221> MISC\_FEATURE

<222> (53)..(53)

<223> Xaa = Thr or Glu

<220>

<221> MISC\_FEATURE

<222> (66)..(66)

<223> Xaa = Glu or Lys

<220>

<221> MISC\_FEATURE

<222> (72)..(72)

<223> Xaa = Glu or Lys

<220>

<221> MISC\_FEATURE

<222> (74)..(74)

<223> Xaa = Glu or Leu

<400> 13

Gly Ser Glu Cys Asp Phe Pro Gly Phe Asp Glu Arg Ala Asp Val Glu  
1 5 10 15

Thr Leu Arg Lys Ala Met Lys Gly Xaa Gly Thr Asp Glu Glu Ser Ile  
20 25 30

Leu Thr Leu Leu Xaa Ser Arg Ser Asn Ala Gln Arg Gln Glu Ile Xaa  
35 40 45

Ala Ala Xaa Lys Xaa Leu Phe Gly Arg Asp Leu Leu Asp Asp Leu Lys

50

55

60

Ser Xaa Leu Thr Gly Lys Phe Xaa Lys Xaa Val Val Ala Leu Leu Lys  
 65 70 75 80

Pro Ser Arg

<210> 14  
 <211> 87  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Peptide; sequence derived from human annexin

<220>  
 <221> MISC\_FEATURE  
 <222> (29)..(29)  
 <223> Xaa = Leu, Met or Trp

<220>  
 <221> MISC\_FEATURE  
 <222> (41)..(41)  
 <223> Xaa = Tyr or Lys

<220>  
 <221> MISC\_FEATURE  
 <222> (52)..(52)  
 <223> Xaa = Ser or Lys

<220>  
 <221> MISC\_FEATURE  
 <222> (55)..(55)  
 <223> Xaa = Phe or Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (57)..(57)  
 <223> Xaa = Thr or Glu

<220>  
 <221> MISC\_FEATURE  
 <222> (70)..(70)  
 <223> Xaa = Glu or Lys

<220>  
 <221> MISC\_FEATURE  
 <222> (76)..(76)  
 <223> Xaa = Glu or Lys

<220>  
 <221> MISC\_FEATURE  
 <222> (78)..(78)  
 <223> Xaa = Glu or Leu

<400> 14

Gly Ser Gly Cys Gly Thr Glu Thr Asp Phe Pro Gly Phe Asp Glu Arg  
 1 5 10 15

Ala Asp Val Glu Thr Leu Arg Lys Ala Met Lys Gly Xaa Gly Thr Asp  
 20 25 30

Glu Glu Ser Ile Leu Thr Leu Leu Xaa Ser Arg Ser Asn Ala Gln Arg  
 35 40 45

Gln Glu Ile Xaa Ala Ala Xaa Lys Xaa Leu Phe Gly Arg Asp Leu Leu  
 50 55 60

Asp Asp Leu Lys Ser Xaa Leu Thr Gly Lys Phe Xaa Lys Xaa Val Val  
 65 70 75 80

Ala Leu Leu Lys Pro Ser Arg  
 85

<210> 15  
 <211> 75  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Peptide; sequence derived from human annexin

<220>  
 <221> MISC\_FEATURE  
 <222> (1)..(6)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (7)..(7)  
 <223> Xaa = chosen, independently of the other amino acids of the sequence, from Asp and Glu

<220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (9)..(10)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (11)..(11)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (13)..(14)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (15)..(15)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (18)..(18)  
 <223> Xaa = chosen, independently of the other amino acids of the sequence, from Ala, Asn, Cys, Gln, Gly, His, Ile, Leu, Met, Phe, Ser, Thr, Trp, Tyr and Val,

<220>  
 <221> MISC\_FEATURE  
 <222> (21)..(21)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (23)..(24)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(25)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (26)..(28)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (29)..(29)

<223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (30)..(31)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (33)..(36)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (37)..(37)  
 <223> Xaa = chosen, independently of the other amino acids of the sequence, from Arg, Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (38)..(39)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (40)..(40)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (41)..(43)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (44)..(44)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (45)..(49)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (51)..(51)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (52)..(52)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (53)..(54)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (56)..(56)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (59)..(59)  
 <223> Xaa = chosen from Glu, Asp, Lys or Arg

<220>  
 <221> MISC\_FEATURE  
 <222> (61)..(64)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (65)..(65)  
 <223> Xaa = chosen from Glu, Asp, Lys or Arg

<220>  
 <221> MISC\_FEATURE  
 <222> (66)..(67)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (68)..(68)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (69)..(71)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (72)..(72)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (73)..(75)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<400> 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Xaa Xaa Lys  
 1 5 10 15

Gly Xaa Gly Thr Xaa Glu Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg  
 20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
 35 40 45

Xaa Arg Xaa Xaa Xaa Xaa Asp Xaa Lys Ser Xaa Leu Xaa Xaa Xaa Xaa  
 50 55 60

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
 65 70 75

<210> 16  
 <211> 78  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic Peptide; sequence derived from human annexin

<220>  
 <221> MISC\_FEATURE  
 <222> (1)..(9)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Xaa = chosen, independently of the other amino acids of the  
 sequence, from Asp and Glu

<220>  
 <221> MISC\_FEATURE  
 <222> (11)..(11)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and  
 Val

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(13)  
 <223> Xaa = chosen, independently of one another, from natural amino  
 acids or derivatives thereof, such that at least 50% of them are  
 polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly,  
 His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(14)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and  
 Val

<220>  
 <221> MISC\_FEATURE  
 <222> (16)..(17)  
 <223> Xaa = chosen, independently of one another, from natural amino  
 acids or derivatives thereof, such that at least 50% of them are  
 polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly,  
 His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (18)..(18)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and  
 Val

<220>  
 <221> MISC\_FEATURE  
 <222> (21)..(21)  
 <223> Xaa = chosen, independently of the other amino acids of the  
 sequence, from Ala, Asn, Cys, Gln, Gly, His, Ile, Leu, Met, Phe,  
 Ser, Thr, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (24)..(24)  
 <223> Xaa = chosen, independently of one another, from natural amino  
 acids or derivatives thereof, such that at least 50% of them are  
 polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly,  
 His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (26)..(27)  
 <223> Xaa = chosen, independently of one another, from natural amino  
 acids or derivatives thereof, such that at least 50% of them are  
 polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly,

His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
<221> MISC\_FEATURE  
<222> (28)..(28)  
<223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
<221> MISC\_FEATURE  
<222> (29)..(31)  
<223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
<221> MISC\_FEATURE  
<222> (32)..(32)  
<223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
<221> MISC\_FEATURE  
<222> (33)..(34)  
<223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
<221> MISC\_FEATURE  
<222> (36)..(39)  
<223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
<221> MISC\_FEATURE  
<222> (40)..(40)  
<223> Xaa = chosen, independently of the other amino acids of the sequence, from Arg, Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
<221> MISC\_FEATURE  
<222> (41)..(42)  
<223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
<221> MISC\_FEATURE  
<222> (43)..(43)  
<223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
<221> MISC\_FEATURE

<222> (44)..(46)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (47)..(47)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (48)..(52)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (54)..(54)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (55)..(55)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (56)..(57)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>  
 <221> MISC\_FEATURE  
 <222> (59)..(59)  
 <223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and Val

<220>  
 <221> MISC\_FEATURE  
 <222> (62)..(62)  
 <223> Xaa = chosen from Glu, Asp, Lys or Arg

<220>  
 <221> MISC\_FEATURE  
 <222> (64)..(67)  
 <223> Xaa = chosen, independently of one another, from natural amino acids or derivatives thereof, such that at least 50% of them are polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Lys, Orn, Pro, Ser, Thr and Tyr

```

<220>
<221> MISC_FEATURE
<222> (68)..(68)
<223> Xaa = chosen from Glu, Asp, Lys or Arg

<220>
<221> MISC_FEATURE
<222> (69)..(70)
<223> Xaa = chosen, independently of one another, from natural amino
      acids or derivatives thereof, such that at least 50% of them are
      polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly,
      His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>
<221> MISC_FEATURE
<222> (71)..(71)
<223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and
      Val

<220>
<221> MISC_FEATURE
<222> (72)..(74)
<223> Xaa = chosen, independently of one another, from natural amino
      acids or derivatives thereof, such that at least 50% of them are
      polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly,
      His, Lys, Orn, Pro, Ser, Thr and Tyr

<220>
<221> MISC_FEATURE
<222> (75)..(75)
<223> Xaa = chosen from Ala, Cys, Gly, Ile, Leu, Met, Phe, Trp, Tyr and
      Val

<220>
<221> MISC_FEATURE
<222> (76)..(78)
<223> Xaa = chosen, independently of one another, from natural amino
      acids or derivatives thereof, such that at least 50% of them are
      polar residues chosen from Arg, Asn, Asp, Cys, Gln, Glu, Gly,
      His, Lys, Orn, Pro, Ser, Thr and Tyr

<400> 16

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa
1          5          10          15

Xaa Xaa Lys Gly Xaa Gly Thr Xaa Glu Xaa Xaa Xaa Xaa Xaa Xaa
20          25          30

Xaa Xaa Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
35          40          45

Xaa Xaa Xaa Xaa Arg Xaa Xaa Xaa Xaa Asp Xaa Lys Ser Xaa Leu Xaa
50          55          60

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
65          70          75

```

<210> 17  
<211> 4  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic Peptide; sequence derived from human annexin

<400> 17

Gly Ser Gly Cys  
1

<210> 18  
<211> 4  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic Peptide; sequence derived from human annexin

<400> 18

Gly Cys Gly Ser  
1

<210> 19  
<211> 4  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic Peptide; sequence derived from human annexin

<400> 19

Gly Ser Gly Ser  
1

<210> 20  
<211> 4  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic Peptide; sequence derived from human annexin

<400> 20

Gly Cys Gly Cys  
1